L&T Electrical & Automation

MADE FOR THE SMART GENERATION

Retail Products Price List

Maximum Retail Price Effective From 01-02-2021

Smart Ideas for the Smart Generation

L&T Electrical and Automation brings you an inspiring range of modular switches that is a true example of Engineering Excellence. With futuristic features and contemporary designs, each of the distinct ranges are smart crafted with the modern Indian home in mind. Smartly, this catalog to find a product that matches your style.

Contents

Pg No 04-15



Tripper

Pg No 16-25

englaze

Pg No 26-35

entice

Pg No 36-41

enGem

Pg No 42-46

ORIS

Tripper®

FINAL DISTRIBUTION PRODUCTS

IEC/EN
IS
ISI/CE
KEMA

World Class Safety Standards

Tripper products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.

Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain tripper with total confidence.

IP20
Fingerproof
Terminals



Energy Limiting Class- 3

If fault occurs, the Rapid arc quenching mechanism in tripper operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.

3

Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Tripper offers user safety combined with elegance.

True Contact Indication

Tripper range enhances safety through true contact indication even from a distance regardless of its knob position. Red and Green indication flag provided below the knob positively identify the electrical ON/OFF status.

OFF
ON

Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.



Large Terminal Size & Biconnect

Tripper can easily accommodate cables of up to 35 sq.mm. The terminals are designed to facilitate termination of cable or bus bar or both at incomer side. Tripper terminals offer termination flexibly.

Two Position Din Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Tripper range makes mounting on a standard DIN rail more convenient than others.

Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to its superior anti-welding properties, enhancing safety and life of the system.

Combihead Screw

Tripper range of products provided with combihead screws, allow you to use standard as well as Phillips screwdrivers, tripper range addresses all your needs.

HIGHLIGHTS

- ISI marked, CE marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life because of heavy duty contacts
- Cooler operation due to breathing space between two poles
- Energy saving – Low watt loss – 50% as compared to standards
- Manufactured by using high quality fire retardant material
- True contact indication for enhanced safety

Single Pole Double Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE

	Single Pole		Double Pole	
Description	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
6A B Curve	BA10060B	183	BA20060B *	620
10A B Curve	BA10100B	183	BA20100B *	620
16A B Curve	BA10160B	183	BA20160B *	620
20A B Curve	BA10200B	183	BA20200B *	620
25A B Curve	BA10250B	183	BA20250B *	620
32A B Curve	BA10320B	183	BA20320B *	620
40A B Curve	BA10400B	405	BA20400B *	910

**Marked Cat Nos are available till stocks last.*

Single Pole Double Pole Three Pole Four Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

	Single Pole		Double Pole		Three Pole		Four Pole	
Description	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
6A C Curve	BA10060C	183	BA20060C	620	BA30060C	1025	BA40060C	1360
10A C Curve	BA10100C	183	BA20100C	620	BA30100C	1025	BA40100C	1360
16A C Curve	BA10160C	183	BA20160C	620	BA30160C	1025	BA40160C	1360
20A C Curve	BA10200C	183	BA20200C	620	BA30200C	1025	BA40200C	1360
25A C Curve	BA10250C	183	BA20250C	620	BA30250C	1025	BA40250C	1360
32A C Curve	BA10320C	183	BA20320C	620	BA30320C	1025	BA40320C	1360
40A C Curve	BA10400C	405	BA20400C	910	BA30400C	1465	BA40400C	1805
63A C Curve	BA10630C	460	BA20630C	1020	BA30630C	1595	BA40630C	1975

Note: Standard Pack Quantity for MCB: SP - 12 Nos., DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.

HIGHLIGHTS

- ISI marked, CE marked
- Conforms to IS 12640 - 1
- Available in SPN & TPN with 30 mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer
- Finger proof terminal

RESIDUAL CURRENT CIRCUIT BREAKERS/EARTH LEAKAGE CIRCUIT BREAKERS (RCCBs/ELCBs)

Double Pole

Four Pole

	Double Pole		Four Pole	
Description	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
25A 30mA	BC202503	2280	BC402503	2960
25A 100mA	BC202510	2330	BC402510	3015
25A 300mA	BC202530	2330	BC402530	3015
40A 30mA	BC204003	2485	BC404003	3010
40A 100mA	BC204010	2500	BC404010	3070
40A 300mA	BC204030	2500	BC404030	3070
63A 30mA	BC206303	3190	BC406303	3345
63A 100mA	BC206310	3215	BC406310	3385
63A 300mA	BC206330	3215	BC406330	3385

Note: Standard Pack Quantity for RCCBs - 1 Nos.

HIGHLIGHTS

- CE marked
- Conforms to IEC 60947 - 3
- Higher life because of heavy duty contacts
- Cooler operation due to breathing space between two poles
- Energy saving - Low watt loss - 50% as compared to standards
- Manufactured using high quality fire retardant material
- True contact indication for enhanced safety

ISOLATORS

Double Pole

Three Pole

Four Pole

	Double Pole		Three Pole		Four Pole	
Rating	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
40A Isolator	BE204000	385	BE304000	675	BE404000	885
63A Isolator	BE206300	480	BE306300	765	BE406300	895
80A Isolator	BE208000 *	650	BE308000 *	925	BE408000 *	1085
100A Isolator	BE210000	655	BE310000	930	BE410000	1090

**Marked Cat Nos are available till stocks last.*

Note: Standard Pack Quantity for Isolator : DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.

HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
  - Generator Side - 1.5A to 30A
  - Electricity Board Side - 30A
- No. of Poles 1P+N
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant

ACCL

AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

Description	Module	Cat No	MRP/Unit in ₹
30A/1.5A	4	BCL010301E5	1805
30A/2.5A	4	BCL010302E5	1805
30A/3A	4	BCL01030003	1805
30A/4A	4	BCL01030004	1805
30A/5A	4	BCL01030005	1805
30A/6A	4	BCL01030006	1805
30A/8A	4	BCL01030008	1805
30A/10A	4	BCL01030010	1805
30A/12A	4	BCL01030012	1805
30A/15A	4	BCL01030015	1805
30A/20A	4	BCL01030020	1805
30A/30A#	4	BCL01030030	1805

#Non current limiting variant

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available in 3 positions (I-O-II) with centre off position
- Utilization category AC-22A

NEW



Double Pole Four Pole

MODULAR CHANGEOVER SWITCHES

Double Pole				Four Pole			
Description	Modules	Cat No	MRP/Unit in ₹	Description	Modules	Cat No	MRP/Unit in ₹
25A	2	AUC00202500	1365	40A	4	AUC00404000	3600
40A	2	AUC00204000	2090	63A	6	AUC00406300	4085
63A	3	AUC00206300	2430				

HIGHLIGHTS

- Combination of ELCB & MCB (EL+MCB) offers 3 in 1 protection against - overload, short circuit and earth leakage
- Saves human life from electric shock and protects buildings from fire
- Quality assurance with test certificate provided with each EL + MCB
- Easy fault identification - both knobs come down for earth leakage tripping and only MCB knob comes down for overcurrent tripping

Double Pole

Four Pole

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Double Pole

Description	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 2P ELCB+MCB	CB90001OOTO	3345	CB90003OOTO	CB90005OOTO*	3470
10A 2P ELCB+MCB	CB90001OOVO	3345	CB90003OOVO	CB90005OOVO*	3470
16A 2P ELCB+MCB	CB90001OOBO	3345	CB90003OOBO	CB90005OOBO*	3470
20A 2P ELCB+MCB	CB90001OOCO	3345	CB90003OOCO	CB90005OOCO*	3470
25A 2P ELCB+MCB	CB90001OODO	3345	CB90003OODO	CB90005OODO*	3470
32A 2P ELCB+MCB	CB90001OOEO	3760	CB90003OOEO	CB90005OOEO*	3690
40A 2P ELCB+MCB	CB90001OOFO	3760	CB90003OOFO	CB90005OOFO*	3690
63A 2P ELCB+MCB	CB90001OOHO	4615	CB90003OOHO	CB90005OOHO*	4405

**Marked Cat Nos are available till stocks last.*

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Four Pole

Description	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 4P ELCB+MCB	CB90002OOTO	4010	CB90004OOTO	CB90006OOTO	3920
10A 4P ELCB+MCB	CB90002OOVO*	4010	CB90004OOVO*	CB90006OOVO*	3920
16A 4P ELCB+MCB	CB90002OOBO*	4010	CB90004OOBO*	CB90006OOBO*	3920
20A 4P ELCB+MCB	CB90002OOCO	4010	CB90004OOCO	CB90006OOCO	3920
25A 4P ELCB+MCB	CB90002OODO*	4010	CB90004OODO*	CB90006OODO*	3920
32A 4P ELCB+MCB	CB90002OOEO	4330	CB90004OOEO	CB90006OOEO	4125
40A 4P ELCB+MCB	CB90002OOFO	4330	CB90004OOFO	CB90006OOFO	4125
63A 4P ELCB+MCB	CB90002OOHO	5140	CB90004OOHO	CB90006OOHO	4795

**Marked Cat Nos are available till stocks last.*

Note: Standard Pack Quantity for EL+MCB: DP - 8 Nos., FP - 6 Nos.

VALUE + STYLE

The Tripbox PLUS range of Distribution Boards offer the perfect blend of aesthetics and value. Crafter for modern homes, its features ensure ease of installation, enhanced safety and protection from accidental damage with a dash of style.

SAFETY WITH STYLE

Options for flush and surface mounting

Powder - coated, matte finish - RAL9003

Insulated Busbar

As per IS 8623 Standards

Shrouded neutral bards to avoid accidental contact with live parts



EASE OF INSTALLATION

Reversible door for double door Distribution Boards to adapt to site conditions

More space for ease of wiring



PROTECTION FROM DAMAGE

CRCA sheet steel for extra durability

Plastic corners for corner protection

Cement spill protector - To protect DB interior from cement splashes during civil work

SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DB complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal or glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoings

Double Door

Double Door Glazed

SPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	PH104DDB	1250	PH104DDG	1595
6 way	2	4	PH106DDB	1440	PH106DDG	1715
8 way	2	6	PH108DDB	1560	PH108DDG	1865
12 way	2	10	PH112DDB	1865	PH112DDG	2260
16 way	2	14	PH116DDB	2330	PH116DDG	2795

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DB complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal or glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoings

Double Door

Double Door Glazed

TPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	PH304DDB	3050	PH304DDG	3945
6 way	8	6+6+6	PH306DDB	3790	PH306DDG	4885
8 way	8	8+8+8	PH308DDB	4530	PH308DDG	5850
12 way	8	12+12+12	PH312DDB	6670	PH312DDG	9040

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DB complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoings

Double Door

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4 way	8	2+2+2	4+4+4	PHP304DDB	4925
6 way	8	2+2+2	6+6+6	PHP306DDB	5900
8 way	8	2+2+2	8+8+8	PHP308DDB	6975
12 way	8	2+2+2	12+12+12	PHP312DDB	9510

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DB complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoings

Double Door

PHASE SEGREGATED DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4 way	8	4+4+4	4+4+4	PHS304DDB	7835
6 way	8	4+4+4	6+6+6	PHS306DDB	8845
8 way	8	4+4+4	8+8+8	PHS308DDB	9875
12 way	8	4+4+4	12+12+12	PHS312DDB	12580

PHASE SELECTOR DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DB complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoings

Double Door

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	PHC04DDB	10885
6 way	8	6+6+6	PHC06DDB	11140
8 way	8	8+8+8	PHC08DDB	11815
12 way	8	12+12+12	PHC12DDB	13260

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DB complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoings

Double Door

VTPN DBs WITH MODULAR INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	PHV304DDB	7405
6 way	8	6+6+6	PHV306DDB	8865
8 way	8	8+8+8	PHV308DDB	9865
12 way	8	12+12+12	PHV312DDB	13055

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DB complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoings
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U

Double Door

VTPN DBs WITH MCCB INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	MCCB	4+4+4	PHV304DYM	8795
6 way	MCCB	6+6+6	PHV306DYM	10430
8 way	MCCB	8+8+8	PHV308DYM	11180
12 way	MCCB	12+12+12	PHV312DYM	14260

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- Provided with Earth terminals and blanking plate
- With provision to mount MCB/Isolator/RCCB/RCBO and other modular devices

Single Door

ENCLOSURES

Description	Modules	Single Door	MRP/Unit in ₹
2 way	2	PHE02DB	365
3 way	3	PHE03DB	405
4 way	4	PHE04DB	405
6 way	6	PHE06DB	610

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- Ready to use DBs complete with color-coded wire set, Neutral bar/s with shroud/s in 1 and 3 module
- With provision to mount MCBs/RCCBs

Single Door

PLUG & SOCKET DBs

Description	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	1	PMP110DB	925
20A, 2 Pin+SC^	1	PMP120DB	985
20A, 2 Pin+SC^	2	PMP220DB	1075
32A, 3 Pin+SC^	3	PMP332DB	2550

SC^ - Scrapping Earth

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Confirms to IS 8804

Metal Plug

Metal Socket

METAL PLUG & SOCKET

Description	Cat No	Std Pack Qty.	MRP/Unit in ₹
10A, 2 Pin+SC^ Metal Plug	MPS210P	20	155
20A, 2 Pin+SC^ Metal Plug	MPS220P	20	165
20A, 3 Pin+SC^ Metal Plug	MPS320P	20	210
32A, 3 Pin+SC^ Metal Plug	MPS332P	20	395
10A, 2 Pin+SC^ Metal Socket	MPS210S	20	155
20A, 2 Pin+SC^ Metal Socket	MPS220S	20	180
20A, 3 Pin+SC^ Metal Socket	MPS320S	20	240
32A, 3 Pin+SC^ Metal Socket	MPS332S	20	395

SC^ - Scrapping Earth

HIGHLIGHTS

- Ready to use DB complete with copper wire set, 100A copper bus bar, Neutral bar, earth bar and DIN channel
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting

Single Door

Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
4 MOD SPN DB	BH104SDB	735	BH104DDB	1190
6 MOD SPN DB	BH106SDB	810	BH106DDB	1325
8 MOD SPN DB	BH108SDB	915	BH108DDB	1475
12 MOD SPN DB	BH112SDB	1240	BH112DDB	1830
16 MOD SPN DB	BH116SDB	1520	BH116DDB	2210

Single Door

Double Door

THREE PHASE NEUTRAL (TPN) DBs

Description	Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
8+4+4+4 TPN DB	BH304SDB	2270	BH304DDB	2980
8+6+6+6 TPN DB	BH306SDB	2805	BH306DDB	3605
8+8+8+8 TPN DB	BH308SDB	3245	BH308DDB	4375
8+12+12+12 TPN DB	BH312SDB	4490	BH312DDB	6045

Phase Selector DBs

PHASE SELECTOR DBs

Description	Double Door	MRP/Unit in ₹
8+4+4+4 PHASE SELECTOR DB	BHC04DDB	9410
8+6+6+6 PHASE SELECTOR DB	BHC06DDB	10025

Provided with 40A selector switches

englaze

#SWITCHUP

When you have stepped beyond the ordinary, every step you take elevates you. Every step is a switch up. Flawlessly flat and majestically minimal, englaze would silently stay a testament to your taste, the life you lived and the world you built around you.

SWITCH UP TO THE EXTRAORDINARY.
SWITCH UP TO ENGLAZE.

englaze

ANTI-BACTERIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-bacterial forever.

FABULOUSLY FLAT LOOK

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.

SMART CONNECTORS

Don't go searching for adapters now, plug in everything directly with smart connectors. HDMI, VGA, RCA, USB for data & charging and just about everything you need.

GLAMOROUSLY WIDE

The two module switches add glamour to your walls with its uniquely sleek and chic style.

BEAUTIFULLY BRIDGELESS

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.

SAFETY SHUTTERS

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.

INDICATIVE REGULATORS

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!

INDICATIVE ILLUMINATION

Like fireflies, the indicator switches illuminate with grace, using long life LEDs.

- *All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997*
- *"AX" rating for switches are suitable to fluorescent lights also.*

SWITCHES - 1 MODULE

		Snow White			Mountain Grey		
	Description	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
	Switch 10 AX 1-Way 1M	CB92101SW10	163	20	CB92101SM10	187	20
	Switch 10 AX 1-Way with Indicator 1M	CB92301SW10	255	20	CB92301SM10	320	20
	Switch 10 AX 2-Way 1M	CB92201SW10	243	20	CB92201SM10	303	20
	Switch 16 AX 1-Way 1M	CB92101SW16	284	20	CB92101SM16	355	20
	Switch 16 AX 1-Way with Indicator 1M	CB92301SW16	342	20	CB92301SM16	428	20
	Switch 16 AX 2-Way 1M	CB92201SW16	342	20	CB92201SM16	428	20
	Switch 20 A 1-Way 1M	CB92101SW20	353	20	CB92101SM20	442	20
	Switch 20A 1-Way with Indicator 1M	CB92301SW20	428	20	CB92301SM20	535	20
	Switch 20A 2-Way 1M	CB92201SW20	428	20	CB92201SM20	535	20
New	Switch 25 A 1-way 1M	CB92101SW25	380	20	CB92101SM25	480	20
New	Switch 25A 1-Way with Indicator 1M	CB92301SW25	465	20	CB92301SM25	580	20

SWITCHES - 2 MODULE (MEGA SWITCHES)

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Switch 20A DP with Indicator 2M	CB92402SW20	551	10	CB92402SM20	690	10
Switch 32A DP with Indicator 2M	CB92402SW32	659	10	CB92402SM32	824	10
Switch 10 AX 1-Way 2M	CB92102SW10	229	10	CB92102SM10	285	10
Switch 10 AX 1-Way with Indicator 2M	CB92302SW10	306	10	CB92302SM10	384	10
Switch 10 AX 2-Way 2M	CB92202SW10	290	10	CB92202SM10	364	10
Switch 16 AX 1-Way 2M	CB92102SW16	340	10	CB92102SM16	425	10
Switch 16 AX 1-way with Indicator 2M	CB92302SW16	410	10	CB92302SM16	513	10
Switch 16 AX 2-Way 2M	CB92202SW16	410	10	CB92202SM16	513	10
Switch 20 A 1-Way 2M	CB92102SW20	424	10	CB92102SM20	530	10
Switch 20 A 1-Way with Indicator 2M	CB92302SW20	513	10	CB92302SM20	641	10
Switch 20 A 2-Way 2M	CB92202SW20	513	10	CB92202SM20	641	10

CB92101BW10 CB92301BW10 CB92102BW10 CB92302BW10

CB92101BM10 CB92301BM10 CB92102BM10 CB92302BM10



CB92102MW20
CB92102MW25

CB92102MM20
CB92102MM25

CB92101DM04 CB92102DM10 CB21101RM01 CB92102RM02

• 5 step fan regulator conforms to IS 11037: 1984 and comes with "flag indicator".
• All fan regulators are with 360 degree rotation.
• Dimmers only support incandescent and halogen load.

BELL PUSH

	Snow White			Mountain Grey		
Description	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
10A Bell Push 1M	CB92101BW10	253	20	CB92101BM10	317	20
10A Bell Push with Indicator1M	CB92301BW10	293	20	CB92301BM10	365	20
10A Bell Push 2M	CB92102BW10	328	10	CB92102BM10	409	10
10A Bell Push with Indicator 2M	CB92302BW10	375	10	CB92302BM10	470	10

MOTOR STARTER

	Snow White			Mountain Grey		
Description	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
20 A Motor Starter 2M	CB92102MW20	977	10	CB92102MM20	1222	10
25 A Motor Starter 2M	CB92102MW25	997	10	CB92102MM25	1247	10

FAN REGULATORS AND DIMMERS

	Snow White			Mountain Grey		
Description	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Dimmer 400 W 1M	CB92101DW04	735	10	CB92101DM04	919	10
Dimmer 1000 W 2M	CB92102DW10	1179	5	CB92102DM10	1475	5
Step Fan Regulator 1M - 80W	CB92101RW01	683	10	CB92101RM01	854	10
5-Step Fan Regulator 2M - 120W	CB92102RW02	944	5	CB92102RM02	1180	5

CB92602CW06

CB92101CW06

CB92202CW06

CB92302CW16
CB92302CW25


CB92402CW13

CB92303CW16, CB92303CW25

CB92101CM06

- *6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.*
- *All sockets are equipped with safety shutters.*
- *6A 3 Pin Socket is suitable for 2 Pin Plug top also.*

CB92101TW00

CB92101TW11

CB92101TW45
CB92201TW45


CB92201TW00

CB92301TW00

CB92401TW00

CB92101TM00

CB92101TM11

CB92101TM45
CB92201TM45

CB92201TM00

CB92301TM00

CB92501TM00

POWER SOCKETS

	Description	Snow White Cat No	Snow White MRP in ₹	Snow White Std Pack	Mountain Grey Cat No	Mountain Grey MRP in ₹	Mountain Grey Std Pack
New	6A 3 Pin Round Type Socket 2M with ISI	CB92602CW06	271	10	CB92602CM06	339	10
	6 A/16 A 3 Pin Combi Socket 2M with ISI	CB92302CW16	391	10	CB92302CM16	487	10
	6 A/16 A 3 Pin Combi Socket 3M with ISI	CB92303CW16	499	5	CB92303CM16	624	5
	6 A 2 Pin Euro Socket 1M	CB92101CW06*	209	20	CB92101CM06*	261	20
	6 A 2/3 Pin Socket 2M	CB92202CW06*	247	10	CB92202CM06*	309	10
	10 A/25 A 3 Pin Combi Socket 2M	CB92302CW25*	433	10	CB92302CM25*	541	10
	10 A/25 A 3 Pin Combi Socket 3M	CB92303CW25*	519	5	CB92303CM25*	649	5
	13 A Universal Socket 2M	CB92402CW13*	337	10	CB92402CM13*	431	10

**Marked cat nos are available till stocks last.*

DATA SOCKETS

Description	Snow White Cat No	Snow White MRP in ₹	Snow White Std Pack	Mountain Grey Cat No	Mountain Grey MRP in ₹	Mountain Grey Std Pack
RJ 11 Shuttered 1M	CB92101TW11	216	20	CB92101TM11	270	15
Twin RJ 11, with Shutters 1M	CB92201TW11	294	20	CB92201TM11	368	15
RJ 45 Cat 5e Shuttered 1M	CB92101TW45	690	20	CB92101TM45	864	15
RJ 45 Cat 6 Shuttered 1M	CB92201TW45	768	20	CB92201TM45	960	15
TV Socket 1M	CB92101TW00	210	20	CB92101TM00	263	15
RCA Connector 1M	CB92201TW00	2559	20	CB92201TM00	3058	15
HDMI Connector 1M	CB92301TW00	2093	20	CB92301TM00	2503	15
USB Connector 1M	CB92401TW00	1784	20	CB92401TM00	2132	15
VGA Connector 1M	CB92501TW00	1938	20	CB92501TM00	2317	15

CB92101AW00

CB92102LW00

CB92101AW02

CB92401AW00

CB92502AW10

CB92402AW00

CB92701AW00

ACCESSORIES

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Buzzer 2M	CB92102AW00	504	5	CB92102AM00	603	5
Cable Outlet 1M	CB92101AW00	170	20	CB92101AM00	205	15
Blank off Unit 1M	CB92201AW00	45	20	CB92201AM00	54	20
LED Foot Light 2M	CB92102LW00	1015	5	CB92102LM00	1216	5
USB Charger 2A 1M	CB92101AW02	1725	10	CB92101AM02	2402	10
LED Phase Indicator 1 M - Full Glow	CB92401AW00	284	20	NA	NA	NA
New Curtain Control Switch 10A 2M	CB92502AW10	520	1 set	CB92502AM10	780	1 set
Electronic Ding-Dong Bell 2M	CB92402AW00	837	10	CB92402AM00	1046	10
Movement Sensor 1M	CB92701AW00	5140	6	CB92701AM00	6425	6

HOSPITALITY RANGE

CB92104HW10

CB92302HW00

CB92202HW20
CB92302HW32

CB92403HW20

CB92502HW10

CB92602HW10

CB92702HW00

CB92801HW00

CB92902HW00

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Shaver Socket 4M	CB92104HW10	4332	1	CB92104HM10	5414	1
Mechanical key-tag 20 A + key FOB 2M	CB92202HW20	867	5	CB92202HM20	1084	5
Mechanical key-tag 32 A + key FOB 2M	CB92302HW32	982	5	CB92302HM32	1228	5
New Spare key for Mech key tag	CB92302HW00	85	10	CB92302HM00	95	10
Electronic key-tag 20 A + card with indicator 2M	CB92403HW20	3870	2	CB92403HM20	4837	2
DND-MMR inside room unit 2M	CB92502HW10	895	10	CB92502HM10	1119	10
DND-MMR outside room unit with Bell Push 2M	CB92602HW10	636	10	CB92602HM10	794	10
Volume Controller 2M	CB92702HW00	982	10	CB92702HM00	1228	10
Bell Indicator 1M (with Reset)	CB92801HW00	1034	6	CB92801HM00	1291	6
Call Bell Station with Indicator 2M	CB92902HW00	1444	10	CB92902HM00	1805	10

- *USB charger conforms to IS 13252(Part1),*
- *Electronic ding-dong bell is suitable for small rooms/cabins etc.*
- *Movement Sensor is for indoor applications only.*
- *Shaver scoket is mono block design and supplied with 4 module cover plate.*
- *Mechanical & electronic key tags are modular type.*

MINI MCBs WITH LED INDICATOR

CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32

CB92201KW06
CB92201KW10
CB92201KW16
CB92201KW20
CB92201KW25
CB92201KW32

CB92101KM06
CB92101KM10
CB92101KM16
CB92101KM20
CB92101KM25
CB92101KM32

CB92201KM06
CB92201KM10
CB92201KM16
CB92201KM20
CB92201KM25
CB92201KM32

Description	Std Pack	Snow White Cat No	Snow White MRP in ₹	Mountain Grey Cat No	Mountain Grey MRP in ₹
6A SP Mini MCB 3 kA - 1M	1/10	CB92101KW06	468	CB92101KM06	545
10A SP Mini MCB 3 kA - 1M	1/10	CB92101KW10	468	CB92101KM10	545
16A SP Mini MCB 3 kA - 1M	1/10	CB92101KW16	468	CB92101KM16	545
20A SP Mini MCB 3 kA - 1M	1/10	CB92101KW20	468	CB92101KM20	545
25A SP Mini MCB 3 kA - 1M	1/10	CB92101KW25	468	CB92101KM25	545
32A SP Mini MCB 3 kA - 1M	1/10	CB92101KW32	468	CB92101KM32	545
6A DP Mini MCB 3 kA - 2M	1/5	CB92202KW06	941	CB92202KM06	1089
10A DP Mini MCB 3 kA - 2M	1/5	CB92202KW10	941	CB92202KM10	1089
16A DP Mini MCB 3 kA - 2M	1/5	CB92202KW16	941	CB92202KM16	1089
20A DP Mini MCB 3 kA - 2M	1/5	CB92202KW20	941	CB92202KM20	1089
25A DP Mini MCB 3 kA - 2M	1/5	CB92202KW25	941	CB92202KM25	1089
32A DP Mini MCB 3 kA - 2M	1/5	CB92202KW32	941	CB92202KM32	1089

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in Snow White & Mountain Grey colors
- IP20 protection
- RoHS Complaint

Mocha Wood

Beige Wood

Oak Wood

WOOD PLATES WITHOUT GRID FRAMES

	Description	Std Pack	Mocha Wood Cat No	Mocha Wood MRP in ₹	Beige Wood Cat No	Beige Wood MRP in ₹	Oak Wood Cat No	Oak Wood MRP in ₹
	1 Module Plate	1/10	CB92101FM04	1418	CB92101FB04	1418	CB92101FW04	1418
	2 Module Plate	1/10	CB92102FM04	1570	CB92102FB04	1570	CB92102FW04	1570
	3 Module Plate	1/10	CB92103FM04	1864	CB92103FB04	1864	CB92103FW04	1864
	4 Module Plate	1/10	CB92104FM04	2095	CB92104FB04	2095	CB92104FW04	2095
	6 Module Plate	1/10	CB92106FM04	2336	CB92106FB04	2336	CB92106FW04	2336
	8 Module Plate Horizontal	1/10	CB92108FM04	2678	CB92108FB04	2678	CB92108FW04	2678
	8 Module Plate Square	1/5	CB92208FM04	3029	CB92208FB04	3029	CB92208FW04	3029
	12 Module Plate	1/5	CB92112FM04	3938	CB92112FB04	3938	CB92112FW04	3938
New	16 Module Plate	1/4	CB92116FM04	4450	CB92116FB04	4450	CB92116FW04	4450
New	18 Module Plate	1/5	CB92118FM04	4850	CB92118FB04	4850	CB92118FW04	4850

Shadow Black

Metallic Gold

Brush Silver

METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES

	Description	Std Pack	Shadow Black Cat No	Shadow Black MRP in ₹	Metallic Gold Cat No	Metallic Gold MRP in ₹	Brush Silver Cat No	Brush Silver MRP in ₹
	1 Module Plate	1/10	CB92101FB03	1628	CB92101FG03	1628	CB92101FS03	1628
	2 Module Plate	1/10	CB92102FB03	1780	CB92102FG03	1780	CB92102FS03	1780
	3 Module Plate	1/10	CB92103FB03	2095	CB92103FG03	2095	CB92103FS03	2095
	4 Module Plate	1/10	CB92104FB03	2336	CB92104FG03	2336	CB92104FS03	2336
	6 Module Plate	1/10	CB92106FB03	3308	CB92106FG03	3308	CB92106FS03	3308
	8 Module Plate Horizontal	1/10	CB92108FB03	3938	CB92108FG03	3938	CB92108FS03	3938
	8 Module Plate Square	1/5	CB92208FB03	4463	CB92208FG03	4463	CB92208FS03	4463
	12 Module Plate	1/5	CB92112FB03	5828	CB92112FG03	5828	CB92112FS03	5828
New	16 Module Plate	1/4	CB92116FB03	7450	CB92116FG03	7450	CB92116FS03	7450
New	18 Module Plate	1/5	CB92118FB03	9550	CB92118FG03	9550	CB92118FS03	9550

All wooden, glass and metal plates are supplied without grid frames, customers need to order the grid plates separately.

Icy White

Champagne Gold

Silky Silver

GLASS PLATES WITHOUT GRID FRAMES

	Description	Std Pack	Icy White Cat No	Icy White MRP in ₹	Champagne Gold Cat No	Champagne Gold MRP in ₹	Silky Silver Cat No	Silky Silver MRP in ₹
	1 Module Plate	1/10	CB92101FW02	1055	CB92101FC02	1055	CB92101FS02	1055
	2 Module Plate	1/10	CB92102FW02	1195	CB92102FC02	1195	CB92102FS02	1195
	3 Module Plate	1/10	CB92103FW02	1285	CB92103FC02	1285	CB92103FS02	1285
	4 Module Plate	1/10	CB92104FW02	1665	CB92104FC02	1665	CB92104FS02	1665
	6 Module Plate	1/10	CB92106FW02	2250	CB92106FC02	2250	CB92106FS02	2250
	8 Module Plate Horizontal	1/10	CB92108FW02	2550	CB92108FC02	2550	CB92108FS02	2550
	8 Module Plate Square	1/5	CB92208FW02	2550	CB92208FC02	2550	CB92208FS02	2550
	12 Module Plate	1/5	CB92112FW02	3450	CB92112FC02	3450	CB92112FS02	3450
New	16 Module Plate	1/4	CB92116FW02	3550	CB92116FC02	3550	CB92116FS02	3550
New	18 Module Plate	1/5	CB92118FW02	3850	CB92118FC02	3850	CB92118FS02	3850

Midnight Black

Oceanic Green

Matte Mirror

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.

GLASS PLATES WITHOUT GRID FRAMES

	Description	Std Pack	Midnight Black Cat No	Midnight Black MRP in ₹	New Oceanic Green Cat No	New Oceanic Green MRP in ₹	New Matte Mirror Cat No	New Matte Mirror MRP in ₹
	1 Module Plate	1/ 10	CB92101FB02	1055	CB92101FG02	1055	CB92101FM02	1055
	2 Module Plate	1/ 10	CB92102FB02	1195	CB92102FG02	1195	CB92102FM02	1195
	3 Module Plate	1/ 10	CB92103FB02	1285	CB92103FG02	1285	CB92103FM02	1285
	4 Module Plate	1/ 10	CB92104FB02	1665	CB92104FG02	1665	CB92104FM02	1665
	6 Module Plate	1/ 10	CB92106FB02	2250	CB92106FG02	2250	CB92106FM02	2250
	8 Module Plate Horizontal	1/ 10	CB92108FB02	2550	CB92108FG02	2550	CB92108FM02	2550
	8 Module Plate Square	1/ 5	CB92208FB02	2550	CB92208FG02	2550	CB92208FM02	2550
	12 Module Plate	1/ 5	CB92112FB02	3450	CB92112FG02	3450	CB92112FM02	3450
New	16 Module plate	1/4	CB92116FB02	3550	CB92116FG02	3550	CB92116FM02	3550
New	18 Module Plate	1/5	CB92118FB02	3850	CB92118FG02	3850	CB92118FM02	3850

Snow White

Mountain Grey

Chamagne Gold

Moonlight Silver

PLATES WITH GRID FRAMES

Description	Std Pack	Snow White Cat No	Snow White MRP in ₹	Mountain Grey Cat No	Mountain Grey MRP in ₹	Champagne Gold Cat No	Champagne Gold MRP in ₹	Moonlight Silver Cat No	Moonlight Silver MRP in ₹
1 Module Plate	10	CB92101FW00	163	CB92101FM01	245	CB92101FC01	245	CB92101FS01	245
2 Module Plate	10	CB92102FW00	163	CB92102FM01	245	CB92102FC01	245	CB92102FS01	245
3 Module Plate	10	CB92103FW00	189	CB92103FM01	284	CB92103FC01	284	CB92103FS01	284
4 Module Plate	10	CB92104FW00	217	CB92104FM01	326	CB92104FC01	326	CB92104FS01	326
6 Module Plate	5	CB92106FW00	337	CB92106FM01	505	CB92106FC01	505	CB92106FS01	505
8 Module Plate Horizontal	4	CB92108FW00	399	CB92108FM01	600	CB92108FC01	600	CB92108FS01	600
8 Module Plate Square	5	CB92208FW00	399	CB92208FM01	600	CB92208FC01	600	CB92208FS01	600
12 Module Plate	5	CB92112FW00	538	CB92112FM01	808	CB92112FC01	808	CB92112FS01	808
16 Module Plate	4	CB92116FW00	669	CB92116FM01	960	CB92116FC01	960	CB92116FS01	960
18 Module Plate	5	CB92118FW00	754	CB92118FM01	1082	CB92118FC01	1082	CB92118FS01	1082

All white and colour plates are supplied with grid frames.

CB92102GB00

CB92103GB00

CB92106GB00

CB92108GB00


CB92112GB00

For Metal Boxes refer pg. no. 35

GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)

	Description	Std Pack	Cat No	MRP in ₹
	1/2 Module Grid Frame	10	CB92102GB00	60
	3 Module Grid Frame	10	CB92103GB00	76
	4 Module Grid Frame	10	CB92104GB00	90
	6 Module Grid Frame	5	CB92106GB00	141
	8 Module Grid Frame Hrztl	4	CB92108GB00	166
	8 Module Grid Frame Square	5	CB92208GB00	166
	12 Module Grid Frame	5	CB92112GB00	228
New	16 Module Grid Frame	4	CB92116GB00	282
New	18 Module Grid Frame	5	CB92118GB00	328

entice

EVERY SHADE OF YOU

entice and its vibrant palette is made for every shade of you. Every colour is a character, a trait we saw in you. When it adorns your walls it doesn't make a style statement, it makes your statement. So go ahead, find a shade that reflects you.

THE SHADE OF SUCCESS

- 360-degree / full rotation of fan regulator.
- Modular USB charger.
- Complete connection solution for TV, computers, projectors etc.
- Modular MCB with LED Indicators
- ISI & CE Certified
- Strong, durable build.
- Safety shutters.
- Sleek, ribless design.
- Vertical & horizontal mounting plates
- Tested for over 3 lac clicks.
- HDMI, VGA, USB & RCA communication connectors.
- High gloss mirror finish.

SWITCHES, BELL PUSHES & MOTOR STARTER

CB91101SW10
CB91101SW16
CB91101SW20
CB91101SW25

CB91301SW10
CB91301SW16
CB91301SW20
CB91301SW25

CB91201SW10
CB91201SW16
CB91201SW20

CB91402SW20
CB91402SW32

CB91101BW10

CB91301BW10

CB91102MW20
CB91102MW25

CB91101SG10
CB91101SG16
CB91101SG25

CB91301SG10
CB91301SG16
CB91301SG25

CB91201SG10
CB91201SG16

CB91402SG20
CB91402SG32

CB91101BG10

CB91301BG10

CB91102MG20
CB91102MG25

- *3 Lakh switching operation*
- *Spark Shield, Captive screws & Tunnel Terminals.*
- *All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997*
- *"AX" rating for switches are suitable to fluorescent lights also.*

	Description	Std Pack	White Cat No	White MRP in ₹	Charcoal Grey Cat No	Charcoal Grey MRP in ₹
	Switch 10 AX 1-Way 1M	20	CB91101SW10	106	CB91101SG10	130
	Switch 10AX 1-Way with Indicator 1M	20	CB91301SW10	193	CB91301SG10	257
	Switch 10AX 2 Way 1M	20	CB91201SW10	183	CB91201SG10	244
	Switch 16 AX 1-Way 1M	20	CB91101SW16	215	CB91101SG16	286
	Switch 16AX 1-Way with Indicator 1M	20	CB91301SW16	257	CB91301SG16	347
	Switch 16AX 2 Way 1M	20	CB91201SW16	257	CB91201SG16	347
	Switch 20 A 1-Way 1M	20	CB91101SW20	267	NA	NA
	Switch 20A 1-Way with Indicator 1M	20	CB91301SW20	322	NA	NA
	Switch 20A 2 Way 1M	20	CB91201SW20	322	NA	NA
New	Switch 25 A 1-Way 1M	20	CB91101SW25	285	CB91101SG25	325
New	Switch 25A 1-Way with Indicator 1M	20	CB91301SW25	345	CB91301SG25	375
	Switch 20A DP with Indicator 2M	10	CB91402SW20	416	CB91402SG20	556
	Switch 32A DP with Indicator 2M	10	CB91402SW32	498	CB91402SG32	666
	Bell Push 10AX 1M	10	CB91101BW10	191	CB91101BG10	256
	Bell Push 10AX with Indicator 1M	10	CB91301BW10	220	CB91301BG10	295
	Bell Push 10AX with Indicator 2M	10	CB91302BW10	284	CB91302BG10	380
	Motor Starter 20A 2M	10	CB91102MW20	867	CB91102MG20	1158
	Motor Starter 25A 2M	10	CB91102MW25	884	CB91102MG25	1183

SOCKETS


CB91602CW06

CB91302CW06

CB91202CW06

CB91302CW16
CB91302CW25

CB91101CG06

CB91202CG06

CB91302CG16
CB91302CG25

CB91402CG13

			White		Charcoal Grey	
	Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹
New	Socket 6A 3 Pin Round Type 1M - with ISI	10	CB91602CW06	159	CB91602CG06	225
	Socket 6A/16A Combined Type 2M - with ISI	10	CB91302CW16	311	CB91302CG16	437
	Socket 6A 5 Pin Round Type 2M	10	CB91302CW06 *	155	CB91302CG06 *	218
	Socket 6A 2-Pin Euro Type 1M	20	CB91101CW06 *	147	CB91101CG06 *	196
	Socket 6A, 2/3-Pin Type 2M (Heavy Duty)	10	CB91202CW06 *	162	CB91202CG06 *	226
	Socket 10A/25A Combined Type 2M	10	CB91302CW25 *	326	CB91302CG25 *	437
	Socket 13A Universal Type 2M	10	CB91402CW13 *	292	CB91402CG13 *	391

** Marked cat nos are available till stocks last.*

- *6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.*
- *All sockets are equipped with safety shutters.*
- *6A 3 Pin Socket is suitable for 2 Pin Plug top also.*

REGULATORS & DIMMERS

CB91101DW04

CB91102DW10

CB91101RW01

CB91102RW02

	White		Charcoal Grey	
Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB91101DW04	624	CB91101DG04	872
Dimmer 1000W 2M	05	CB91102DW10	1002	CB91102DG10	1400
Fan Regulator 4-Step 1M	10	CB91101RW01	509	CB91101RG01	730
Fan Regulator 5-Step 2M	05	CB91102RW02	704	CB91102RG02	1008

- *5 step fan regulator conforms to IS 11037: 1984*
- *All fan regulators are with 360 degree rotation.*
- *Dimmers only support incandescent and halogen load.*

CB91101TW11

CB91201TW11

CB91101TW45
CB91201TW45

CB91401TW00

CB91501TW00

CB91101TW00

CB91201TW00

CB91301TW00

CB91201TG00

CB91301TG00

CB91501TG00

All Socket connections are plug & play.

DATA SOCKETS

	Standard Pack		White		Charcoal Grey	
Description	White	Grey	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 with Shutter 1M	20	15	CB91101TW11	183	CB91101TG11	265
Twin RJ 11 with Shutter 1M	20	15	CB91201TW11	250	CB91201TG11	361
RJ 45, Cat 5e with Shutter 1M	20	15	CB91101TW45	585	CB91101TG45	844
RJ 45 Cat 6 with Shutter 1M	20	15	CB91201TW45	652	CB91201TG45	938
TV Socket 1M	20	15	CB91101TW00	179	CB91101TG00	256
RCA Connector 1M	20	15	CB91201TW00	2174	CB91201TG00	2991
HDMI Connector 1M	20	15	CB91301TW00	1778	CB91301TG00	2446
USB Connector 1M	20	15	CB91401TW00	1515	CB91401TG00	2085
VGA Connector 1M	20	15	CB91501TW00	1647	CB91501TG00	2266

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in White & Charcoal Grey colors
- IP20 protection
- RoHS Complaint

CB91101KW06
CB91101KW10
CB91101KW16
CB91101KW20
CB91101KW25
CB91101KW32

CB91202KW06
CB91202KW10
CB91202KW16
CB91202KW20
CB91202KW25
CB91202KW32

CB91101KG06
CB91101KG10
CB91101KG16
CB91101KG20
CB91101KG25
CB91101KG32

CB91202KG06
CB91202KG10
CB91202KG16
CB91202KG20
CB91202KG25
CB91202KG32

MINI MCB WITH LED INDICATOR

		White		Charcoal Grey	
Description	StdPack	Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA	10	CB91101KW06	412	CB91101KG06	512
10A SP Mini MCB 3 kA	10	CB91101KW10	412	CB91101KG10	512
16A SP Mini MCB 3 kA	10	CB91101KW16	412	CB91101KG16	512
20A SP Mini MCB 3 kA	10	CB91101KW20	412	CB91101KG20	512
25A SP Mini MCB 3 kA	10	CB91101KW25	412	CB91101KG25	512
32A SP Mini MCB 3 kA	10	CB91101KW32	412	CB91101KG32	512
6A DP Mini MCB 3 kA	05	CB91202KW06	819	CB91202KG06	1012
10A DP Mini MCB 3 kA	05	CB91202KW10	819	CB91202KG10	1012
16A DP Mini MCB 3 kA	05	CB91202KW16	819	CB91202KG16	1012
20A DP Mini MCB 3 kA	05	CB91202KW20	819	CB91202KG20	1012
25A DP Mini MCB 3 kA	05	CB91202KW25	819	CB91202KG25	1012
32A DP Mini MCB 3 kA	05	CB91202KW32	819	CB91202KG32	1012

ACCESSORIES

CB91102AW00 CB91402AW00 CB91101AW00 CB91201AW00 CB91102LW00

CB91101AW02 CB91401AW00 CB91102AG00 CB91101AG00 CB91201AG00

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	05	CB91102AW00	428	CB91102AG00	616
Electronic Ding Dong Bell 2M	10	CB91402AW00	759	CB91402AG00	1006
Cable Outlet 1M	White-20 Grey - 15	CB91101AW00	145	CB91101AG00	209
Blank off unit 1M	20	CB91201AW00	38	CB91201AG00	55
Foot Light 2M	05	CB91102LW00	863	CB91102LG00	1241
USB Charger 2000 mA 1M	10	CB91101AW02	1490	CB91101AG02	2226
LED Phase Indicator-Full Glow 1M	20	CB91401AW00	224	NA	NA

- *USB charger conforms to IS 13252(Part1),*
- *Electronic ding-dong bell is suitable for small rooms/cabins etc.*

HOSPITALITY RANGE

CB91202HW20 CB91302HW32 CB91502HW10 CB91602HW10 CB91302HW00

CB91702HW00 CB91801HW00 CB91202HG20 CB91302HG32 CB91502HG10

	Description	Std Pack	White		Charcoal Grey	
			Cat No	MRP in ₹	Cat No	MRP in ₹
	Mech Key Tag 20A 2M	05	CB91202HW20	655	CB91202HG20	863
	Mech Key Tag 32A 2M	05	CB91302HW32	743	CB91302HG32	978
New	Spare Key for Mech Key Tag	10	CB91302HW00	70	CB91302HG00	80
	DND MMR Inside Room Unit 2M	10	CB91502HW10	512	CB91502HG10	748
	DND MMR Outside Room Unit 2M	10	CB91602HW10	545	Same as White	
	Volume Controller 2M	10	CB91702HW00	908	CB91702HG00	1144
	Bell Indicator with Reset 1M	10	CB91801HW00	935	CB91801HG00	1236

Mechanical Key Tag are modular type and supplied without any plates

WHITES

The serenity of the white classics are perfect for those who seek understated elegance.

VIVID

Gold Rush

Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.

Charcoal Grey

Ice Silver

Bottle Green

Black Beauty

VIBRANT

Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.

Pearl White

Metallic Grey

Rustic Gold

Rose Gold

WOODEN

Caramel Wood

Rustic & earthy, these wooden tones really bring out the aesthetics of your home.

Dark Chocolate Wood

Cinnamon Wood



- *8M Horizontal Small size, is suitable for 10M ORIS Box.*
- *All White cover plates supplied with grid frames.*

COVER PLATE WITH GRID FRAMES - WHITE

Description	Std Pack	Cat No	MRP in ₹
1 M Grid Frame + 1 M Cover	15	CB91101FW00	121
2 M Grid Frame + 2 M Cover	15	CB91102FW00	121
3 M Grid Frame + 3 M Cover	10	CB91103FW00	157
4 M Grid Frame + 4 M Cover	10	CB91104FW00	180
6 M Grid Frame + 6 M Cover	05	CB91106FW00	242
8 M Grid Frame + 8 M Cover Horizontal	05	CB91108FW00	287
8 M Grid Frame + 8 M Cover Square	05	CB91208FW00	287
8 M Grid Frame + 8 M Cover- Small Size (Suitable for ORIS 10M Boxes)	05	CB91308FW00	340
12 M Grid Frame + 12 M Cover	05	CB91112FW00	387
16 M grid frame + 16 M Cover	05	CB91116FW00	481
18 M grid frame + 18 M Cover	05	CB91118FW00	508

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES

Description	Std Pack	Charcoal Grey Cat No	Eco Grey Cat No	Gold Rush Cat No	Ice Silver Cat No	Black Beauty Cat No	Bottle Green Cat No	MRP in ₹
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	158
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	158
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	211
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	234
6 Module Cover Plate	05	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	302
8 Module Cover Plate- Horizontal	05	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	354
8 Module Coverplate Square	05	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	354
8 Module Cover plate - Horizontal Small size (Suitable for ORIS 10M Box)	05	CB91308FG11	CB91308FE11	CB91308FU11	CB91308FI11	CB91308FB11	CB91308FD11	418
12 Module Cover Plate	05	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	478
16 Module Cover Plate	05	CB91116FG11	CB91116FE11	CB91116FI11	CB91116FI11	CB91116FB11	CB91116FD11	649
18 Module Cover Plate	05	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	720

- *All color plates supplied without grid frames*
- *Customer need to select Grid Frames Separately*
- *All colour product pictures are for visualization purpose only, actual product colour may vary.*
- *Automotive Grade 2K PU Paint Technology for Durability*

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES

Rustic Gold

Metallic Grey

Rose Gold

Pearl White

Firestorm Orange

- *All color plates supplied without grid frames*
- *Customer need to select Grid Frames Separately*
- *All colour product pictures are for visualization purpose only, actual product colour may vary.*
- *Automotive Grade 2K PU Paint Technology for Durability*

		Rustic Gold	Metallic Grey	Pearl White	Firestorm Orange	Rose Gold	
Description	Std Pack	Cat No	Cat No	Cat No	Cat No	Cat No	MRP in ₹
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FP11	CB91101FS11	CB91101FL11	267
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FP11	CB91102FS11	CB91102FL11	267
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FP11	CB91103FS11	CB91103FL11	334
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FP11	CB91104FS11	CB91104FL11	352
6 Module Cover Plate	05	CB91106FR11	CB91106FM11	CB91106FP11	CB91106FS11	CB91106FL11	405
8 Module Cover Plate-Horizontal	05	CB91108FR11	CB91108FM11	CB91108FP11	CB91108FS11	CB91108FL11	530
8 Module Cover Plate-Square	05	CB91208FR11	CB91208FM11	CB91208FP11	CB91208FS11	CB91208FL11	530
8 Module Cover plate-Horizontal Small Size (Suitable for ORIS 10M Box)	05	CB91308FR11	CB91308FM11	CB91308FP11	CB91308FS11	CB91308FL11	595
12 Module Cover Plate	05	CB91112FR11	CB91112FM11	CB91112FP11	CB91112FS11	CB91112FL11	708
16 Module Cover Plate	05	CB91116FR11	CB91116FM11	CB91116FP11	CB91116FS11	CB91116FL11	779
18 Module Plate	05	CB91118FR11	CB91118FM11	CB91118FP11	CB91118FS11	CB91118FL11	968

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES

Caramel Wood

Dark Chocolate Wood

Cinnamon Wood

- *All color plates supplied without grid frames*
- *Customer need to select Grid Frames Separately*
- *All colour product pictures are for visualization purpose only, actual product colour may vary.*
- *Cubic Printing Technology used for wooden finishes*

		Caramel Wood	Dark Chocolate Wood	Cinnamon Wood	
Description	Std Pack	Cat No	Cat No	Cat No	MRP in ₹
1 Module Cover Plate	15	CB91101FP12	CB91101FL12	CB91101FA12	272
2 Module Cover Plate	15	CB91102FP12	CB91102FL12	CB91102FA12	272
3 Module Cover Plate	10	CB91103FP12	CB91103FL12	CB91103FA12	326
4 Module Cover Plate	10	CB91104FP12	CB91104FL12	CB91104FA12	389
6 Module Cover Plate	05	CB91106FP12	CB91106FL12	CB91106FA12	527
8 Module Cover Plate- Horizontal	05	CB91108FP12	CB91108FL12	CB91108FA12	637
8 Module Cover Plate- Square	05	CB91208FP12	CB91208FL12	CB91208FA12	637
8 Module Cover plate - Horizontal Small size (Suitable for ORIS 10M Box)	05	CB91308FP12	CB91308FL12	CB91308FA12	713
12 Module Cover Plate	05	CB91112FP12	CB91112FL12	CB91112FA12	904
16 Module Cover Plate	05	CB91116FP12	CB91116FL12	CB91116FA12	1140
18 Module Cover Plate	05	CB91118FP12	CB91118FL12	CB91118FA12	1427

GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)

Description	Std Pack	Cat No	MRP in ₹
1/2 M Grid Frame	15	CB91102GB00	45
3 M Grid Frame	10	CB91103GB00	52
4 M Grid Frame	10	CB91104GB00	67
6 M Grid Frame	05	CB91106GB00	105
8 M Grid Frame Horizontal	05	CB91108GB00	125
8 M Grid Frame Square	05	CB91208GB00	125
8 M Grid Frame Small Size (Suitable for ORIS 10M Box)	05	CB91308GB00	209
12 M Grid Frame	05	CB91112GB00	170
16 M Grid Frame	04	CB91116GB00	328
18 M Grid Frame	05	CB91118GB00	338

CB91102GB00

CB91103GB00

CB91104GB00

CB91106GB00

CB91108GB00

CB91208GB00


CB91112GB00

CB91118GB00

CB91116GB00

- *Grid frames suitable for all colour plates and wooden finish plates*
- *Ease for retailers to maintain stocks.*

GI METAL MOUNTING BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 M	60	CB91102WM00	86
GI Metal Box-3 M	45	CB91103WM00	114
GI Metal Box- 4 M	30	CB91104WM00	125
GI Metal Box- 6 M	20	CB91106WM00	179
GI Metal Box- 8 M Horizontal	15	CB91108WM00	228
GI Metal Box- 8 M Square	24	CB91208WM00	228
GI Metal Box- 12 M	16	CB91112WM00	336
GI Metal Box- 18 M	10	CB91118WM00	412

CB91102WM00

CB91103WM00

CB91104WM00


CB91106WM00


CB91108WM00

CB91208WM00

CB91112WM00

- *Suitable for entice, englaze and enGem ranges*
- *GI Boxes Conforms to IS14772: 2000*

2A

waah waah
enGem
wala switch
Switch aisa ki
sab kahe
waah
waah

2 AMP USB CHARGING WITH LED INDICATOR

The enGem range allows your customers to fast-charge devices with the power of 2 Amp. That's not all. The range also comes with a Direct USB Charger that has a LED light indicator, The more impressed your customers, the more compliments you'll get.

PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.

HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.

360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.

CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.

1LAKH+ CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.

CB93101SW06
CB93101SW16

CB93301SW06
CB93301SW16

CB93201SW06
CB93201SW16

CB93101BW06

CB93402SW32

- *1 Lakh switching operation*
- *Spark Shield, Captive screws & Tunnel Terminals.*
- *All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997*
- *"AX" rating for switches are suitable to fluorescent lights also.*

CB93602CW06

CB93302CW16

CB93302CW06

CB93402CW13

- *6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.*
- *All sockets are equipped with safety shutters.*
- *6A 3 Pin Socket is suitable for 2 Pin Plug top also.*

CB93101RW01

CB93102RW02

- *5 step fan regulator conforms to IS 11037: 1984*
- *All fan regulators are with 360 degree rotation.*
- *Dimmers only support incandescent and halogen load.*

SWICTCHES AND BELL PUSH WITH

Description	Std Pack	Cat No	MRP in ₹
Switch 1-way 6AX 1M	20	CB93101SW06	61
Switch 1-way 6AX with Indicator 1M	20	CB93301SW06	134
Switch 2-way 6AX 1M	20	CB93201SW06	128
Switch 16AX 1-way 1M	20	CB93101SW16	131
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	180
Switch 16AX 2-way 1M	20	CB93201SW16	180
Switch 32A DP with Indicator Lamp 2M	10	CB93402SW32	305
Bell Push 6AX 1M	20	CB93101BW16	134
Bell Push 6AX with Indicator 2M	10	CB93302BW06	198

POWER SOCKET WITH SAFETY SHUTTER

	Description	Std Pack	Cat No	MRP in ₹
New	3 Pin Socket 6A with ISI	10	CB93602CW06	104
	6A/16A combined Socket 2M with ISI	10	CB93302CW16	169
	2-pin Euro Socket 6A 1M	20	CB93101CW06*	95
	Socket 5 -Pin (Round Pin Type) 6A 2M	10	CB93302CW06*	99
	Socket 10A/25A combined 2M	10	CB93302CW25*	228
	Universal Socket 13A 2M	10	CB93402CW13*	204

** Marked cat nos are available till stocks lasts*

REGULATORS AND DIMMERS

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	463
Fan Regulator 4-Step 1M	10	CB93101RW01	357
Fan Regulator 5-Step 2M	05	CB93102RW02	461

CB93101TW11 CB93101TW00 CB93101AW00 CB93201AW00 CB93102LW00

CB93101AW02 CB93301AW00

USB Charger conforms to IS 13252 (Part 1)

DATA SOCKETS AND ACCESSORIES

Description	Std Pack	Cat No	MRP in ₹
RJ 11 - Telephone Socket 1M	20	CB93101TW11	128
RJ 45, Cat 5E Internet Socket 1M	20	CB93101TW45	435
RJ 45, Cat 6 Internet Socket 1M	20	CB93201TW45	484
TV Socket 1M	20	CB93101TW00	125
Cable Outlet 1M	20	CB93101AW00	101
Blank Off Unit 1M	20	CB93201AW00	26
LED Foot Light 2M (GST @12%)	05	CB93102LW00	603
USB Charger 2A 1 Module	10	CB93101AW02	1098
LED Phase Indicator 1M	20	CB93301AW00	117

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Complaint

CB93202KW06
CB93202KW10
CB93202KW16
CB93202KW20
CB93202KW25
CB93202KW32

CB93202KW06
CB93202KW10
CB93202KW16
CB93202KW20
CB93202KW25
CB93202KW32

MINI MCB

Description	Std Pack	Cat No	MRP in ₹
6A SP Mini MCB 3 kA - 1M	1/10	CB93101KW06	358
10A SP Mini MCB 3 kA - 1M	1/10	CB93101KW10	358
16A SP Mini MCB 3 kA - 1M	1/10	CB93101KW16	358
20A SP Mini MCB 3 kA - 1M	1/10	CB93101KW20	358
25A SP Mini MCB 3 kA - 1M	1/10	CB93101KW25	358
32A SP Mini MCB 3 kA - 1M	1/10	CB93101KW32	358
6A DP Mini MCB 3 kA - 2M	1/5	CB93202KW06	765
10A DP Mini MCB 3 kA - 2M	1/5	CB93202KW10	765
16A DP Mini MCB 3 kA - 2M	1/5	CB93202KW16	765
20A DP Mini MCB 3 kA - 2M	1/5	CB93202KW20	765
25A DP Mini MCB 3 kA - 2M	1/5	CB93202KW25	765
32A DP Mini MCB 3 kA - 2M	1/5	CB93202KW32	765

CB93101FW00

CB93102FW00

CB93103FW00

CB93104FW00


CB93106FW00

CB93108FW00


CB93108FW00


CB93112FW00

CB93116FW00


CB93118FW00

CB93102WM00

CB93103WM00

CB93104WM00

CB93106WM00

CB93108WM00


CB93112WM00


CB93118WM00

COVER PLATE & GRID FRAME

Description	Std Pack	Cat No	MRP in ₹
1 Module Grid Frame + 1 Module Cover	15	CB93101FW00	70
2 Module Grid Frame + 2 Module Cover	15	CB93102FW00	70
3 Module Grid Frame + 3 Module Cover	10	CB93103FW00	91
4 Module Grid Frame + 4 Module Cover	10	CB93104FW00	111
6 Module Grid Frame + 6 Module Cover	05	CB93106FW00	160
8 Module Grid Frame + 8 Module Cover Horizontal	05	CB93208FW00	189
8 Module Grid Frame + 8 Module Cover Square	05	CB93108FW00	189
12 Module Grid Frame + 12 Module Cover	05	CB93112FW00	255
16 Module Grid Frame + 16 Module Cover	04	CB93116FW00	377
18 Module Grid Frame + 18 Module Cover	05	CB93118FW00	386

MOUNTING BOXES - GI METAL, FLUSH TYPE

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	60	CB93102WM00	62
GI Metal Box - 3 Module	45	CB93103WM00	91
GI Metal Box - 4 Module	36	CB93104WM00	106
GI Metal Box - 6 Module	20	CB93106WM00	152
GI Metal Box - 8 Module Horizontal	15	CB93108WM00	194
GI Metal Box - 8 Module Square	24	CB93208WM00	194
GI Metal Box - 12 Module	16	CB93112WM00	259
GI Metal Box - 16 Module	10	CB93116WM00	308
GI Metal Box - 18 Module	10	CB93118WM00	351



ORIS®

THE SIGNATURE DESIGN

- Ribless design - leaves only a hairline gap between switches
- Glosy finish surface enhance brightness in your life
- Stylish rounded contours - minimizes dust collection on surface, easy to clean

INTELLI-I

- Red LED used for power indication and Blue LED for locating switches in the dark
- Smart and long life LED used for indicator & locator switches

SPACE & MONEY SAVER

- Saves space by accommodating more modules in standard wall box of other makes
- Uses smaller wall boxes for the same number of switches hence saves money

SAFETY & QUALITY

- Safety shutters in all power and data sockets
- Finger touch proof IP20 terminals
- Marking on all switches, bell push, plug top & most of the sockets

LONGER LIFE

- Switches Tested for 1.5 lakhs switching operations
- FR grade polycarbonate material for high durability and fire retardant

OS15W10
OS15W16

OS16W10
OS16W16

OS11W10
OS11W16

OS12W10
OS12W16

OS13W10
OS13W16

OS23W10
OS23W16
OS23W20
OS24W20
OS24W32

OS31W20
OS31W25

OD21W04

OR22W01

- *5 step fan regulator conforms to IS 11037: 1984*
- *Fan regulator are with 360 degree rotation.*
- *Dimmers only support incandescent and halogen load.*

SWITCHES AND BELL PUSH WITH ISI MARKING

Description	Std Pack	Cat No	MRP in ₹
Switch 1 Way 10AX 1 M	20	OS11W10	131
Switch 2 Way 10AX 1 M	20	OS12W10	194
Switch 1 Way Indicator 10AX 1 M	20	OS13W10	194
Switch 1 Way 16AX 1 M	20	OS11W16	225
Switch 2 Way 16AX 1 M	20	OS12W16	268
Switch 1 Way Indicator 16AX 1 M	20	OS13W16	251
Switch 1 Way 10AX 1 M-W Plain Knob	20	OS15W10	126
Switch 2 Way 10AX 1 M-W Plain Knob	20	OS16W10	186
Switch 1 Way 16AX 1 M-W Plain Knob	20	OS15W16	215
Switch 2 Way 16AX 1 M-W Plain Knob	20	OS16W16	258
Switch Dp Indicator 20A 2 M	10	OS24W20	434
Switch Dp Indicator 32A 2 M	10	OS24W32	520
Switch Nite Locator 10A 1 M	20	OS14W10	211
Bell Push 6A 1 M	20	OB11W06	208
Bell Push Indicator 6A 1 M	20	OB13W06	232
Bell Push Indicator 10A 2 M	10	OB23W10	284
Bell Push 6A 1 M-W Plain Knob	20	OB15W06	200

MOTOR STARTER

Description	Std Pack	Cat No	MRP in ₹
Modular Motor Starter 1 PH 20A	20	OS31W20	1002
Modular Motor Starter 1 PH 25A	8	OS31W25	1022

FAN REGULATOR & DIMMER

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400W 2 M	5	OD21W04	706
Fan Regulator 5 Step 360 Deg White	5	OR22W01	769



OC36W06

OC32W66

OC11W06



OC31W06



OC32W06

OC31W16
OC31W25



OC32W13

OT11W11

OT11W45

OT11W00

OL61W06

OA11W00

OA10W00

SOCKET

	Description	Std Pack	Cat No	MRP in ₹
New	Socket 6A 3 Pin Round - with ISI	10	OC36W06	212
	Socket 6/16A 3M - with ISI	10	OC32W66	331
	Socket 2 Pin URO 6A 1M	20	OC11W06*	158
	Socket UNI 6A 3M	10	OC31W06*	182
	Socket 2/3 Pin 6A 3M	10	OC32W06*	185
	Socket 16A 3M with ISI	10	OC31W16*	299
	Socket Multi Pin 13A 3M	10	OC32W13*	285
	Socket 25A 3M	10	OC31W25*	317

** Marked cat nos are available till stocks last.*

DATA SOCKETS

Description	Std Pack	Cat No	MRP in ₹
RJ11 Shuttered 1M	20	OT11W11	196
RJ45 Shuttered 1M	20	OT11W45	622
TV Socket 1M	20	OT11W00	176

ACCESSORIES

Description	Std Pack	Cat No	MRP in ₹
LED Footlight 6M	5	OL61W06	865
Indicator Lite 1M	20	OA11W00	169
Blank Off 1M	20	OA10W00	35

OF11W00

OF21W00

OF31W00

OF32W00

OF41W00

OF10W03

OF10W04

OF12W00

OF16W00

OF24W00

OW21M00

OW41M00

OW61M00

OW81M00

OW10M00

OW21W00

OW61W00

OW10W00

OW12W00

COVER PLATES WITH GRID FRAMES

Description	Std Pack	Cat No	MRP in ₹
Grid And Face Plate 1M	15	OF11W00	132
Grid And Face Plate 2M	15	OF21W00	132
Grid And Face Plate 3M	10	OF31W00	163
Grid And Face Plate 3M Mini	10	OF32W00	149
Grid And Face Plate 4M	10	OF41W00	168
Grid And Face Plate 6M	10	OF61W00	222
Grid And Face Plate 8M	10	OF81W00	265
Grid And Face Plate 10M 433	5	OF10W03	314
Grid And Face Plate 10M 433 Suitable For Entice8m Box	5	OF10W04	320
Grid And Face Plate 12M	5	OF12W00	375
Grid And Face Plate 16M	5	OF16W00	413
Grid And Face Plate 24M	5	OF24W00	542

MOUNTING BOXES - GI METAL BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Recess Wall Box 1/2M	24	OW21M00	104
GI Recess Wall Box 3/4M	16	OW41M00	128
GI Recess Wall Box 6M	16	OW61M00	153
GI Recess Wall Box 8M	16	OW81M00	219
GI Recess Wall Box 10M	16	OW10M00	275
GI Recess Wall Box 12M	12	OW12M00	343
GI Recess Wall Box 16M	10	OW16M00	363
GI Recess Wall Box 24M	6	OW24M00	504

MOUNTING BOXES - PLASTIC SURFACE BOXES

Description	Std Pack	Cat No	MRP in ₹
Surface Wall Box 1/2M	20	OW21W00	129
Surface Wall Box 3/4M	12	OW41W00	152
Surface Wall Box 6M	10	OW61W00	181
Surface Wall Box 8M	14	OW81W00	189
Surface Wall Box 10M	10	OW10W00	228
Surface Wall Box 12M	10	OW12W00	248
Surface Wall Box 16M	8	OW16W00	363

STANDALONE RANGE

OP01W06
OP01W16

OP03W06
OP03W16



OA03W02

OA03W03

OA20W00

With USB Charger



OA05W06

OA04W13

CB93400AB06
CB93300AB06

DIGITAL DING-DONG
7 Ding Dong Tunes
OB31W00

MANTRAS
10 Mantra Tunes
OB32W00

ENGLISH MELODY
25 English Tunes
OB33W00

PLUG TOP

Description	Std Pack	Cat No	MRP in ₹
6A 3 Pin Plug Top with ISI	10	OP01W06	73
6A 3 Pin Plug Top Indicator with ISI	10	OP03W06	89
16A 3 Pin Plug Top with ISI	10	OP01W16	112
16A 3 Pin Plug Top Indicator with ISI	10	OP03W16	125

LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
Jumbo Lamp Holder (2 in 1)	24	OA03W01	82
Lamp Holder - Angular Type	30	OA03W02	48
Lamp Holder - Batten Type	40	OA03W03	46
Jumbo Ceiling Rose	40	OA20W00	50

SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
4 Way Spike Guard with Resettable Fuse	1	OA04W13	800
3 Way Spike Guard with Twin USB Charger and Resettable Fuse	1	OA05W06	1369
4 Way Spike Guard - 1.5 Mtr Cord	1	CB93300AB06	604
4 Way Spike Guard - 5 Mtr Cord	1	CB93400AB06	875

DOOR BELLS

Description	Std Pack	Cat No	MRP in ₹
Digital Ding Dong Door Bell	1	OB31W00	338
Digital Mantra Door Bell	1	OB32W00	372
Digital English Door Bell	1	OB33W00	395

WARRANTY POLICY

All products carry warranty against manufacturing defects due to fault workmanship.

All switches, sockets and accessories carry a warranty of 12 years from the date of manufacturing.

Products with electronic circuits and LED i.e. electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors etc., carry a warranty of 2 years from the date of manufacturing.

All colour products and material plates carry a warranty of 3 years from the date of manufacturing.

Warranty does not apply to case of breakage/tampering with products.

The warranty is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.

Company shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.

Tripper, Tripbox and Tripbox PLUS range
all products listed in the price list carry a warranty against manufacturing deffects for a period of 18* months from the date of purchase.

*Proof of purchase to be retained to avail warranty.

ELECTRICAL STANDARD PRODUCTS (ESP) OFFICES:

HEAD OFFICE

L&T Electrical & Automation
L&T Business Park, TC 2, Tower 'B'
3rd Floor, Gate No 5
Saki Vihar Road, Powai, **Mumbai 400 072**
Tel: 022-67052874 / 2737 / 1156
e-mail: cic@LNTEBG.com

BRANCH OFFICES

L&T Electrical & Automation
501, Sakar Complex I
Opp. Gandhigram Rly. Station
Ashram Road, **Ahmedabad 380 009**
Tel: 079 4900 4000 / 4001
e-mail: esp-ahm@LNTEBG.com

L&T Electrical & Automation
No 38, Cubbon Road, **Bengaluru 560 001**
Tel: 080-46136103 / 100
e-mail: esp-blr@LNTEBG.com

L&T Electrical & Automation
131 / 1, Zone II, Maharana Pratap Nagar
Bhopal 462 011
e-mail: esp-bho@LNTEBG.com

L&T Electrical & Automation
Plot No. 559, Annapurna Complex
Lewis Road, **Bhubaneswar 751 014**
Tel: 0674-2436690 / 2436696
e-mail: esp-bsr@LNTEBG.com

L&T Electrical & Automation
Aspire Towers, 4th Floor
Plot No. 55, Phase-I
Industrial & Business Park
Chandigarh 160 002
Tel: 0172-4646840 / 41 / 42 / 46 / 53
e-mail: esp-chd@LNTEBG.com

L&T Electrical & Automation
L&T Construction Campus
TC-1 Building, II Floor
Mount-Poonamallee Road
Manapakkam, **Chennai 600 089**
Tel: 044-2270 6800
e-mail: esp-maa1@LNTEBG.com

L&T Electrical & Automation 67,
Appuswamy Road, Post Bag 7156
Opp. Nirmala College
Coimbatore 641 045
Tel: 0422-4588120 / 1 / 5
e-mail: esp-cbe@LNTEBG.com

L&T Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road,
Ballupur Chowk, **Dehradun 248001**
Tel: +91 9582252411

L&T Electrical & Automation
Khairasol, Degaul Avenue
Durgapur 713 212
Tel: 0343-2540448 / 2540449 / 2540443
e-mail: esp-dgp@LNTEBG.com

L&T Electrical & Automation
5, Milanpur Road, Bamuni Maidan
Guwahati 781 021
Tel: +91 8876554417
e-mail: esp-ghy@LNTEBG.com

L&T Electrical & Automation
2nd Floor, Vasantha Chambers
5-10-173, Fateh Maidan Road
Hyderabad 500 004
Tel: 040-67015052
e-mail: esp-hyd@LNTEBG.com

L&T Electrical & Automation
Monarch Building, 1st Floor
D-236 & 237, Amrapali Marg
Vaishali Nagar, **Jaipur 302 021**
Tel: 0141-4385914 to 18
e-mail: esp-jai@LNTEBG.com

L&T Electrical & Automation
Akashdeep Plaza, 2nd Floor
P. O. Golmuri, **Jamshedpur 831 003**
Jharkhand
Tel: 0657-2340502 / 08
e-mail: esp-jam@LNTEBG.com

L&T Electrical & Automation
Skybright Bldg; M. G. Road
Ravipuram Junction, Ernakulam
Kochi 682 016
Tel: 0484-4409420 / 4 / 5 / 7
e-mail: esp-cok@LNTEBG.com

L&T Electrical & Automation
3-B, Shakespeare Sarani,
Kolkata 700 071
Tel: 033-48006001
e-mail: esp-ccu@LNTEBG.com

L&T Electrical & Automation
No. 10, Fortuna Tower, 2nd Floor
Rana Pratap Marg, Near NBRI
Lucknow 226001
e-mail: esp-Lko@LNTEBG.com

L&T Electrical & Automation
No: 73, Karpaga Nagar, 8th Street
K. Pudur, **Madurai 625007**
Tel: 0452-2567405 / 2561068 / 2561657
e-mail: esp-mdu@LNTEBG.com

L&T Electrical & Automation
L&T Business Park, TC 2, Tower 'B'
3rd Floor, Gate No 5
Saki Vihar Road, Powai,
Mumbai 400 072
Tel: 022-67052874 / 2737 / 1156
e-mail: esp-bom@LNTEBG.com

L&T Electrical & Automation
Unnati Building, 2nd Floor
Automation Campus
A-600, TTC Industrial area
Shil-Mahape Road, Mahape
Navi Mumbai 400710
Tel: +91 22 67226502 / 67226300

L&T Electrical & Automation
12, Shivaji Nagar, **Nagpur 440 010**
Tel: 0712-2260012 / 6606421
e-mail: esp-nag@LNTEBG.com

L&T Electrical & Automation
32, Shivaji Marg, Near Moti Nagar,
P. O. Box 6223, **New Delhi 110 015**
Tel: 011-41419514 / 5 / 6
e-mail: esp-del@LNTEBG.com

L&T Electrical & Automation
Grand Chandra, 2nd Floor
Fraser Road,
Opposite Doordarshan Kendra
Patna 800001
e-mail: esp-patna@LNTEBG.com

L&T Electrical & Automation
L&T House, P. O. Box 119
191/1, Dhole Patil Road, **Pune 411 001**
Tel: 020-48544395 / 48544279
e-mail: esp.pnq@LNTEBG.com

L&T Electrical & Automation
Crystal Tower, 4th Floor, G. E. Road
Telibandha, **Raipur 492 006**
Tel: 0771-4283214
e-mail: esp-raipur@LNTEBG.com

L&T Electrical & Automation
3rd Floor, Vishwakarma Chambers
Majura Gate, Ring Road
Surat 395 002
Tel: 0261-2473726
e-mail: esp-sur@LNTEBG.com

L&T Electrical & Automation
Radhadaya Complex
Old Padra Road
Near Charotar Society
Vadodara 390 007
Tel: 0265-6613610 / 1 / 2
e-mail: esp-bar@LNTEBG.com

L&T Electrical & Automation
Door No. 49-38-14/3/2, 1st floor,
NGGO's Colony, Akkayyapalem,
Visakhapatnam 530 016
Tel: 0891-2791126 / 2711125
e-mail: esp-viz@LNTEBG.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here.
Product photographs shown for representative purpose only.

L&T SWITCHGEAR
SAFE & SURE

L&T Electrical & Automation

L&T Electrical & Automation,
Electrical Standard Products,
L&T Business Park, TC 2, Tower B, 3rd Floor,
Gate No. 5, Saki Vihar Road, Powai,
Mumbai - 400072, India

BSNL / MTNL (toll free) : 1800 233 5858
Reliance (toll free) : 1800 200 5858
Tel : 022 6774 5858

cic@Lntebg.com
lntebg.com

https://www.facebook.com/Intelectricalandautomation/
@Int_switches
Scan the above QR code to discover us on social media

SP 51063 TWBC MARCOM